

ECE 3574: Applied Software Design

Event Driven Programming

Today we will learn how to design systems that respond to internal and external events in an application.

- ▶ Events and Event Handlers
- ▶ Events from Windowing System
- ▶ Timers and other internal events
- ▶ Observer Pattern
- ▶ Callbacks versus Polymorphism for implementing event handlers
- ▶ Qt Event System
- ▶ Exercise

Events are inputs that are not predictable from the program flow.

Examples:

- ▶ Hardware Event: the user presses a key on a keypad
- ▶ Software Event: the user clicks on a button in a windowing system

The program should be able to respond to these events, i.e. *handle* them, whenever they occur.

Typically events are collected in an event loop using polling

Round-Robbin

```
while(true){  
  
    // check status of switch  
    // handle if changed  
  
    // ... etc.  
}
```

Typically events are collected in an event loop using polling

Queuing, or *posting* the event (like onto a bulletin board)

```
while(true){  
  
    // check status of switch  
    // post the event, queue it to be handled  
  
    // ... etc.  
  
    // handle N events from the queue  
}
```

The code that is run in response to an event is a *handler*.

The handler should:

- ▶ do the minimum amount of work possible
- ▶ never block execution for extended periods

Otherwise the system lags to input or locks up and does not respond to events.

How much work can be done?

- ▶ Each iteration of the event loop should be limited in time.
- ▶ How much depends on the application
- ▶ in a user interface around 250ms
- ▶ in a control loop, perhaps as little as a 1ms
- ▶ Add up the total number of events and the time to execute each

How does one do more work in a handler?

- ▶ concurrency, let the OS handle it (see lectures 18-27)
- ▶ split work into small chunks, post an event itself
- ▶ implement a coroutine, a function that can be restarted where it left off (not discussed)

Examples of Events from a Windowing System

- ▶ show/draw/render the object
- ▶ focus the object
- ▶ mouse enter/leave
- ▶ mouse down, up for left, right, middle, etc
- ▶ key K press/release
- ▶ resize object
- ▶ move object
- ▶ gestures

Examples of internal events

- ▶ timers
- ▶ events posted by other handlers
- ▶ hardware interrupts

Event systems are an example of the *Observer Pattern*

Observers are objects which observe other objects. Possible implementations:

- ▶ callback functions
- ▶ dynamic polymorphism (inheritance)

See example code.

Exercise

See website

Next Actions and Reminders

- ▶ Read about Qt Signals and Slots
- ▶ Milestone 1 is due tomorrow 9/28. **Be sure to:**
 - ▶ tag your version for grading
 - ▶ push your changes to GitHub before the deadline

```
git tag milestone1
```

```
git push origin milestone1
```